

Sequence : flower garden  
Bit rate : 9Mbps

Institute : NHK  
Date : / /91

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
0	900560	35.04	40.96	41.43	50	103376	32.04	36.73	37.18
1	223280	33.96	37.04	37.29	51	92672	32.22	35.84	35.83
2	73616	32.63	37.39	37.88	52	98960	32.72	36.73	36.98
3	99184	33.06	36.33	36.50	53	120672	33.16	36.16	36.04
4	135744	33.60	36.94	37.28	54	119216	33.41	36.77	36.92
5	133360	33.71	36.37	36.53	55	125824	33.23	36.00	35.88
6	120048	33.72	36.75	36.96	56	119904	32.64	35.92	36.31
7	111232	33.65	36.30	36.26	57	117328	32.12	35.16	35.23
8	111184	33.75	36.64	36.63	58	94736	31.67	35.14	35.37
9	115768	33.38	35.98	35.99	59	88496	31.62	34.80	34.75
10	120032	32.84	35.71	35.94	60	95984	32.02	35.19	35.14
11	122784	32.35	34.98	35.25	61	118112	32.74	35.38	35.01
12	106880	31.75	34.74	35.05	62	120400	32.79	35.58	35.42
13	87968	31.39	34.41	34.59	63	116572	32.69	35.41	35.06
14	81808	31.38	34.50	34.61	64	114832	32.66	35.48	35.17
15	105008	31.79	34.51	34.57	65	113680	32.53	35.15	34.92
16	111120	31.81	34.55	34.63	66	115152	31.98	34.82	34.80
17	125776	32.36	34.85	34.75	67	128304	31.51	34.37	34.58
18	116656	32.45	34.90	34.84	68	125200	30.87	33.92	34.24
19	118416	32.66	35.03	34.88	69	96256	30.29	33.61	34.01
20	115136	32.34	34.81	34.77	70	80752	30.32	33.56	33.86
21	120400	31.92	34.41	34.49	71	77424	30.46	33.63	33.74
22	124096	31.52	34.06	34.30	72	921072	34.15	40.39	40.37
23	120528	31.05	33.74	34.08	73	235136	33.05	36.42	36.43
24	857312	34.27	40.39	40.61	74	52016	31.98	37.77	38.26
25	225824	33.33	36.58	36.83	75	86832	32.44	36.15	36.00
26	114720	32.14	36.55	36.95	76	136000	32.89	36.70	37.03
27	103424	32.23	35.83	36.10	77	145056	32.90	35.85	35.72
28	92624	31.98	35.91	35.99	78	129024	32.75	36.08	36.35
29	92784	32.27	35.67	35.74	79	123136	32.27	35.26	35.42
30	106576	32.43	35.84	35.91	80	121504	31.92	35.10	35.63
31	122752	32.71	35.57	35.65	81	115568	31.73	34.64	34.90
32	139808	32.59	35.31	35.52	82	100704	31.35	34.49	34.87
33	112000	32.20	35.03	35.22	83	88720	31.11	34.34	34.43
34	115024	31.98	34.79	34.97	84	89216	30.85	34.18	34.36
35	128400	31.52	34.32	34.71	85	98640	30.92	34.00	34.12
36	123584	30.89	33.97	34.40	86	125792	31.10	33.89	34.14
37	103824	30.03	33.43	33.95	87	131696	30.97	33.62	33.87
38	90160	29.85	33.29	33.77	88	125920	30.61	33.42	33.69
39	79776	29.74	33.18	33.54	89	104496	30.11	33.11	33.41
40	85200	30.01	33.31	33.58	90	96528	29.95	32.98	33.20
41	99920	30.54	33.58	33.61	91	95728	29.91	32.95	33.10
42	125424	31.14	33.87	33.85	92	101040	30.28	33.17	33.19
43	135872	31.55	34.03	34.00	93	105104	30.56	33.27	33.26
44	116992	31.50	34.12	34.04	94	113840	31.07	33.55	33.52
45	108368	31.52	34.16	34.09	95	116384	31.24	33.68	33.62
46	112512	31.54	34.13	34.08	96	920048	33.49	39.62	39.73
47	100720	31.39	34.09	33.98	97	224368	32.58	35.85	35.93
48	894496	34.25	40.54	40.59	98	108160	31.30	35.87	36.49
49	235952	33.27	36.60	36.49	99	107984	31.34	34.97	35.41

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
100	117248	30.97	34.58	34.94	150	136960	31.24	34.77	35.34
101	83744	31.18	34.79	34.89	151	123984	30.93	34.25	34.62
102	97568	31.40	34.96	34.96	152	90624	30.67	34.23	34.54
103	98528	31.97	35.19	35.06	153	80080	30.99	34.27	34.30
104	139120	32.09	34.79	34.94	154	91120	31.45	34.67	34.63
105	149696	31.54	34.45	34.92	155	110224	31.69	34.47	34.45
106	132560	30.56	33.77	34.34	156	135056	31.53	34.20	34.35
107	111920	30.00	33.42	33.97	157	124640	31.18	33.91	33.97
108	84192	29.53	33.16	33.91	158	107600	30.97	33.86	33.89
109	72240	29.23	32.90	33.55	159	93760	30.96	33.85	33.81
110	77872	29.56	32.95	33.48	160	97712	31.14	33.93	33.92
111	98784	30.24	33.17	33.48	161	104992	31.54	34.13	33.93
112	125184	30.84	33.48	33.67	162	111984	32.04	34.62	34.25
113	145584	31.13	33.45	33.75	163	122704	32.09	34.57	34.20
114	130560	30.59	33.25	33.55	164	116352	32.00	34.60	34.31
115	107728	30.41	33.14	33.41	165	109952	31.69	34.36	34.10
116	87104	30.50	33.31	33.38	166	116864	31.52	34.11	34.01
117	95968	30.87	33.45	33.49	167	112480	31.21	33.87	33.74
118	108080	31.10	33.57	33.63	168	891920	33.29	39.37	39.48
119	112768	31.07	33.51	33.58	169	224144	32.37	35.72	35.73
120	913232	33.70	39.84	39.95	170	79344	32.61	37.61	37.53
121	224656	32.60	35.96	35.99	171	114608	32.59	35.80	35.54
122	81808	31.62	37.01	37.35	172	131264	32.41	36.14	36.30
123	122800	31.65	35.10	35.46	173	123616	32.06	35.09	35.01
124	146736	31.29	34.77	35.20	174	110768	31.80	35.24	35.32
125	112128	30.68	34.15	34.66	175	97280	31.61	34.81	34.67
126	85600	30.41	34.00	34.38	176	96352	31.71	35.08	34.98
127	90080	30.38	33.83	34.21	177	107760	31.97	34.93	34.61
128	103104	30.47	33.74	34.00	178	113472	31.82	34.83	34.76
129	120000	30.71	33.74	34.00	179	121216	31.81	34.64	34.33
130	123264	30.62	33.48	33.69	180	113536	31.71	34.60	34.41
131	114112	30.62	33.49	33.62	181	112576	31.61	34.35	34.10
132	101520	30.59	33.53	33.53	182	108672	31.15	34.00	34.00
133	99776	30.87	33.74	33.64	183	108896	30.78	33.73	33.70
134	105360	31.11	33.91	33.70	184	98768	30.58	33.57	33.49
135	105072	31.36	34.10	33.80	185	101504	30.79	33.67	33.44
136	114864	31.76	34.41	34.07	186	111088	30.93	33.65	33.44
137	121488	31.96	34.40	34.16	187	107152	30.95	33.57	33.47
138	125296	31.89	34.22	34.11	188	111264	31.05	33.65	33.52
139	121072	31.55	33.94	33.91	189	108976	31.07	33.71	33.58
140	119136	31.21	33.69	33.72	190	105744	31.28	33.85	33.61
141	105968	30.60	33.32	33.39	191	107856	31.43	33.93	33.61
142	89440	30.28	33.15	33.22	192	925856	33.38	39.45	39.56
143	90656	30.27	33.22	33.16	193	223408	32.28	35.76	35.80
144	916976	32.96	39.12	39.16	194	104304	31.59	36.37	36.75
145	225136	32.03	35.45	35.40	195	117456	31.26	34.93	35.28
146	51760	31.35	37.23	37.50	196	130224	30.56	34.30	34.62
147	95632	31.73	35.46	35.34	197	115632	30.11	33.79	34.32
148	143472	32.26	36.22	36.69	198	96240	29.77	33.47	33.75
149	144048	31.80	34.87	35.13	199	94944	29.39	33.16	33.62

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
200	98704	29.18	32.78	33.30	250	74240	29.89	33.41	33.36
201	110352	29.30	32.73	33.16	251	94448	30.49	33.73	33.55
202	109072	29.45	32.72	33.10	252	116464	30.81	33.80	33.68
203	116336	29.54	32.68	33.01	253	133200	30.94	33.67	33.59
204	117008	29.33	32.45	32.89	254	137040	30.57	33.30	33.28
205	111584	29.04	32.28	32.68	255	135904	30.11	32.87	33.10
206	108144	28.92	32.05	32.43	256	122816	29.43	32.50	32.73
207	97840	28.78	32.02	32.27	257	100864	29.03	32.33	32.55
208	105744	28.93	32.03	32.20	258	74048	28.70	32.15	32.34
209	121968	29.05	31.98	32.22	259	77872	28.73	32.14	32.26
210	119728	28.85	32.02	32.19	260	98080	29.24	32.37	32.34
211	114848	28.61	31.89	32.16	261	115712	29.58	32.42	32.39
212	109632	28.55	31.79	32.06	262	127840	29.80	32.46	32.47
213	96768	28.47	31.72	31.96	263	120608	29.74	32.44	32.40
214	100080	28.49	31.63	31.88	264	914448	32.13	38.44	38.47
215	108464	28.65	31.66	31.88	265	215184	30.95	34.73	34.60
216	917536	32.70	38.95	38.98	266	65088	31.45	36.86	36.89
217	220416	31.68	35.18	35.12	267	113920	31.22	34.74	34.49
218	70160	30.31	36.00	36.39	268	139744	31.61	35.43	35.71
219	99152	30.69	34.46	34.66	269	139168	30.95	34.08	34.18
220	136080	30.49	34.34	34.63	270	103568	30.67	34.45	34.70
221	129072	30.29	33.72	34.11	271	98672	30.48	33.79	33.74
222	108112	29.86	33.50	33.73	272	90320	30.52	34.22	34.32
223	102432	29.91	33.38	33.68	273	95440	30.85	34.00	33.80
224	118176	29.85	33.15	33.29	274	119776	31.19	34.37	34.44
225	127920	29.53	32.86	33.26	275	119840	31.11	33.97	33.70
226	119072	29.07	32.73	33.18	276	118000	31.31	34.27	34.12
227	113936	28.78	32.35	32.77	277	114096	31.20	33.93	33.55
228	75472	28.88	32.63	32.89	278	123264	31.10	33.85	33.61
229	83408	29.03	32.49	32.73	279	119248	30.66	33.37	33.23
230	116352	29.50	32.65	32.83	280	97536	30.36	33.40	33.19
231	130528	29.39	32.29	32.52	281	83312	30.55	33.45	33.17
232	119664	29.23	32.27	32.52	282	96768	30.90	33.71	33.29
233	120000	29.22	32.14	32.39	283	118992	31.20	33.72	33.42
234	107680	29.11	32.12	32.40	284	119536	31.36	33.92	33.54
235	96208	28.98	32.05	32.25	285	115920	31.42	33.88	33.57
236	93856	29.07	32.14	32.24	286	114704	31.18	33.79	33.44
237	95168	29.20	32.19	32.26	287	102288	30.87	33.54	33.19
238	110736	29.79	32.54	32.44	288	916592	32.27	38.42	38.40
239	112224	30.05	32.70	32.61	289	205440	30.70	34.55	34.48
240	934320	32.77	39.05	39.00	290	97888	31.58	36.30	36.44
241	210768	31.63	35.34	35.20	291	126304	30.98	34.22	34.14
242	70144	31.78	37.14	37.36	292	131952	30.85	34.53	34.91
243	111520	31.76	35.22	35.07	293	121456	30.09	33.39	33.54
244	151904	31.69	35.30	35.77	294	110816	29.53	33.14	33.48
245	136544	31.12	34.39	34.60	295	92384	29.25	32.80	33.01
246	114544	30.58	34.10	34.49	296	84096	29.17	32.85	32.97
247	106272	30.19	33.56	33.94	297	107264	29.33	32.54	32.76
248	105840	29.83	33.29	33.60	298	125424	29.35	32.44	32.56
249	89728	29.63	33.12	33.50	299	103840	29.23	32.39	32.49

Sequence : mobile & calendar  
Bit rate : 4Mbps

Institute : NHK  
Date : / /91

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
0	476928	26.71	35.67	36.51	50	33104	25.65	34.63	35.12
1	105824	26.19	33.54	34.39	51	33264	25.63	32.96	33.53
2	51792	25.54	34.21	34.75	52	48016	25.61	33.97	34.39
3	48448	25.63	33.42	34.01	53	53200	25.59	32.67	33.20
4	59936	25.32	33.37	33.77	54	54544	25.65	33.50	33.87
5	55008	25.09	33.00	33.36	55	53104	25.54	32.38	32.84
6	47520	24.97	32.90	33.19	56	51600	25.62	33.08	33.42
7	47488	24.77	32.50	32.78	57	48288	25.43	32.15	32.57
8	45776	24.67	32.49	32.80	58	47376	25.51	32.75	33.05
9	44464	24.45	32.11	32.48	59	48800	25.35	31.94	32.29
10	44320	24.25	32.11	32.34	60	47616	25.36	32.48	32.71
11	41696	24.18	31.87	32.07	61	44160	25.09	31.72	32.00
12	39776	24.10	31.81	31.99	62	42480	25.08	32.16	32.40
13	40368	23.97	31.67	31.79	63	40416	24.93	31.47	31.80
14	41104	23.82	31.58	31.65	64	40928	25.00	31.90	32.14
15	40352	23.77	31.38	31.49	65	40320	24.84	31.32	31.60
16	38896	23.85	31.39	31.42	66	40976	24.94	31.75	31.91
17	40704	23.92	31.22	31.36	67	42928	24.84	31.20	31.49
18	44480	24.05	31.18	31.34	68	44400	24.91	31.54	31.77
19	43568	24.03	31.09	31.19	69	45888	24.81	31.10	31.35
20	41488	23.98	31.01	31.16	70	45824	24.87	31.37	31.55
21	43104	24.10	31.02	31.17	71	45552	24.81	30.94	31.22
22	45696	24.23	31.00	31.20	72	470688	26.32	35.40	36.13
23	46224	24.28	30.91	31.19	73	134608	26.61	33.35	34.16
24	481264	26.60	35.62	36.43	74	35872	25.52	34.61	35.05
25	119664	26.47	33.47	34.38	75	37056	25.53	32.93	33.59
26	35024	25.47	34.69	35.25	76	44992	25.38	33.74	34.10
27	35792	25.60	33.23	33.90	77	44080	25.36	32.51	33.05
28	45376	25.53	34.15	34.64	78	46032	25.39	33.28	33.61
29	47344	25.48	32.91	33.48	79	46048	25.29	32.23	32.68
30	51632	25.49	33.77	34.16	80	47408	25.30	32.87	33.19
31	57920	25.43	32.64	33.15	81	48496	25.16	31.96	32.45
32	52016	25.40	33.30	33.67	82	51456	25.21	32.43	32.80
33	48144	25.22	32.39	32.88	83	51184	25.03	31.70	32.12
34	49120	25.24	32.94	33.38	84	48544	24.92	32.12	32.42
35	47904	25.17	32.21	32.71	85	44336	24.76	31.47	31.91
36	45104	25.05	32.66	33.00	86	42416	24.73	31.88	32.14
37	43328	24.87	31.99	32.39	87	41296	24.63	31.30	31.62
38	44048	24.84	32.34	32.64	88	42096	24.69	31.61	31.91
39	46096	24.73	31.77	32.11	89	42912	24.59	31.10	31.43
40	45664	24.78	32.10	32.39	90	44624	24.66	31.38	31.66
41	44864	24.72	31.60	31.97	91	45888	24.54	30.93	31.25
42	44992	24.73	31.93	32.23	92	46256	24.56	31.22	31.40
43	42896	24.54	31.40	31.73	93	46112	24.49	30.79	31.04
44	44512	24.59	31.69	32.00	94	44768	24.53	31.02	31.21
45	44080	24.52	31.27	31.53	95	44816	24.50	30.69	30.94
46	44304	24.56	31.52	31.80	96	471408	26.32	35.28	36.00
47	44208	24.52	31.12	31.40	97	131728	26.62	33.23	33.96
48	467456	26.37	35.41	36.21	98	32400	25.47	34.51	34.90
49	127504	26.53	33.37	34.15	99	33248	25.55	32.93	33.35

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
100	44512	25.43	33.72	34.05	150	48144	24.77	32.19	32.32
101	47392	25.42	32.58	32.97	151	51744	24.74	31.73	31.88
102	50192	25.60	33.30	33.59	152	52448	24.56	31.76	31.78
103	51536	25.46	32.30	32.72	153	47056	24.54	31.39	31.40
104	54480	25.54	32.83	33.19	154	42144	24.49	31.34	31.37
105	52096	25.37	32.03	32.47	155	41360	24.58	31.12	31.12
106	47264	25.25	32.42	32.76	156	40352	24.62	31.13	31.21
107	49200	25.10	31.75	32.11	157	40272	24.71	30.97	30.97
108	47280	25.07	32.08	32.35	158	44512	24.81	30.99	31.10
109	43888	24.78	31.47	31.72	159	48320	24.84	30.86	30.94
110	42912	24.76	31.73	31.95	160	47376	24.85	30.90	30.99
111	43584	24.65	31.26	31.49	161	44768	24.91	30.77	30.82
112	44272	24.64	31.42	31.61	162	44176	24.95	30.74	30.86
113	46704	24.52	31.03	31.25	163	44048	24.97	30.63	30.69
114	46224	24.51	31.13	31.25	164	42800	25.02	30.65	30.78
115	46112	24.36	30.79	30.94	165	48256	25.14	30.56	30.72
116	43568	24.32	30.81	30.96	166	49248	25.21	30.61	30.72
117	40544	24.20	30.60	30.74	167	47536	25.22	30.48	30.55
118	40960	24.27	30.59	30.80	168	458640	25.98	34.89	35.55
119	41344	24.24	30.47	30.61	169	136880	26.68	33.19	33.83
120	471504	26.23	35.15	35.83	170	40576	25.51	34.05	34.59
121	131216	26.46	33.19	33.82	171	40160	25.80	32.72	33.22
122	31728	25.20	34.12	34.51	172	46512	25.76	33.49	33.87
123	31440	25.33	32.75	33.10	173	49024	25.83	32.34	32.77
124	42160	25.02	33.36	33.57	174	54240	25.81	32.89	33.26
125	43760	25.20	32.36	32.67	175	50208	25.68	31.98	32.34
126	50288	25.16	32.65	32.88	176	50528	25.66	32.50	32.75
127	53472	25.29	32.06	32.46	177	48512	25.47	31.72	31.99
128	50816	25.11	32.22	32.57	178	44016	25.45	32.15	32.34
129	50128	25.13	31.80	32.19	179	42960	25.30	31.40	31.67
130	50496	25.01	31.89	32.14	180	42752	25.24	31.76	31.94
131	46864	24.91	31.53	31.83	181	44608	25.16	31.16	31.38
132	44016	24.79	31.57	31.73	182	45616	25.17	31.48	31.67
133	45152	24.61	31.27	31.46	183	48064	25.05	30.92	31.14
134	44000	24.51	31.27	31.39	184	46144	25.02	31.19	31.34
135	43056	24.39	31.05	31.22	185	43952	24.83	30.68	30.91
136	44512	24.43	31.03	31.16	186	41488	24.80	30.93	31.11
137	45680	24.39	30.85	31.06	187	44080	24.77	30.57	30.70
138	45536	24.35	30.81	30.97	188	44352	24.83	30.80	30.92
139	44144	24.34	30.66	30.79	189	44720	24.80	30.48	30.59
140	45184	24.39	30.58	30.75	190	42144	24.79	30.63	30.77
141	45744	24.31	30.47	30.62	191	41552	24.72	30.34	30.45
142	45088	24.37	30.43	30.54	192	458192	25.89	34.84	35.49
143	46608	24.32	30.34	30.51	193	145248	26.69	33.13	33.64
144	457840	25.94	34.92	35.62	194	33040	25.33	33.96	34.28
145	137184	26.61	33.15	33.77	195	32032	26.05	32.62	32.93
146	36176	24.97	33.84	34.16	196	37760	25.43	33.31	33.43
147	38368	25.40	32.61	32.98	197	38096	26.00	32.22	32.51
148	47456	24.91	32.80	33.02	198	46160	25.75	32.85	33.00
149	46928	25.02	32.15	32.41	199	50368	26.20	31.98	32.26

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
200	57232	26.08	32.45	32.72	250	49216	26.21	32.64	32.98
201	55200	26.29	31.77	32.05	251	48128	26.16	31.85	32.28
202	54672	26.20	32.17	32.38	252	47440	26.10	32.48	32.70
203	48496	26.21	31.54	31.77	253	44768	26.01	31.72	32.04
204	46976	26.18	31.84	32.07	254	40608	26.01	32.26	32.54
205	47648	26.15	31.37	31.64	255	40256	26.11	31.68	32.08
206	44384	26.13	31.60	31.76	256	42480	26.26	32.31	32.58
207	43280	26.06	31.18	31.39	257	39904	26.37	31.73	32.10
208	47568	26.09	31.40	31.54	258	41824	26.62	32.35	32.65
209	46592	25.99	31.02	31.22	259	42624	26.71	31.79	32.20
210	44608	25.96	31.18	31.33	260	43440	26.80	32.34	32.70
211	41760	25.84	30.83	30.97	261	48128	26.92	31.82	32.29
212	40896	25.79	31.00	31.04	262	50240	26.88	32.29	32.65
213	42464	25.73	30.69	30.79	263	52784	26.90	31.77	32.24
214	40416	25.66	30.80	30.85	264	458000	26.84	34.89	35.67
215	40720	25.51	30.50	30.59	265	135392	27.71	33.14	33.80
216	460272	26.07	34.90	35.51	266	50208	26.91	34.17	34.73
217	143632	26.91	33.15	33.66	267	41488	27.18	32.84	33.45
218	37136	25.58	33.94	34.11	268	47760	27.03	33.76	34.25
219	36768	26.04	32.61	32.87	269	47536	27.08	32.59	33.17
220	45168	25.51	33.26	33.34	270	47280	27.00	33.34	33.86
221	44192	25.67	32.23	32.38	271	46272	26.90	32.31	32.84
222	44016	25.57	32.74	32.85	272	43744	26.72	32.97	33.38
223	43472	25.76	31.91	32.12	273	41792	26.59	32.12	32.59
224	49040	25.68	32.41	32.46	274	44496	26.54	32.72	33.04
225	48112	25.74	31.65	31.78	275	46576	26.54	31.94	32.38
226	50144	25.76	32.07	32.16	276	46480	26.44	32.46	32.72
227	50384	25.77	31.47	31.58	277	44816	26.39	31.80	32.22
228	50160	25.74	31.74	31.95	278	43936	26.39	32.32	32.57
229	48016	25.58	31.25	31.40	279	42752	26.34	31.71	32.11
230	46944	25.63	31.54	31.67	280	42160	26.40	32.23	32.44
231	48992	25.56	31.13	31.25	281	42240	26.43	31.73	32.08
232	46192	25.47	31.34	31.40	282	47968	26.53	32.26	32.45
233	44656	25.33	30.96	31.04	283	55008	26.38	31.64	32.04
234	42736	25.26	31.16	31.20	284	50784	26.15	32.02	32.20
235	43888	25.16	30.80	30.81	285	49392	26.09	31.47	31.80
236	43808	25.19	30.97	31.02	286	49984	25.96	31.84	31.97
237	43808	25.14	30.63	30.77	287	45664	25.76	31.28	31.50
238	43152	25.11	30.80	30.89	288	444416	25.90	34.44	35.08
239	40832	24.99	30.52	30.63	289	148672	27.02	32.77	33.38
240	455344	26.28	34.80	35.51	290	41952	25.78	33.70	34.19
241	139312	27.20	33.05	33.66	291	35696	26.19	32.40	32.98
242	33328	25.61	34.05	34.32	292	47408	25.75	33.23	33.63
243	32016	26.07	32.65	32.94	293	43920	25.85	32.10	32.53
244	45488	25.76	33.44	33.66	294	47856	25.64	32.78	33.09
245	45296	25.99	32.41	32.71	295	43632	25.53	31.79	32.17
246	49776	26.00	33.17	33.39	296	43392	25.37	32.38	32.58
247	48752	26.12	32.21	32.57	297	42624	25.31	31.51	31.80
248	53216	26.10	32.84	33.17	298	42928	25.27	32.06	32.21
249	50944	26.21	32.02	32.44	299	41344	25.23	31.31	31.54



Sequence : mobile & calendar  
Bit rate : 9Mbps

Institute : NHK  
Date : / /91

Field	Bits	SNR (dB)			Field	Bits	SNR (dB)		
		Y	Cb	Cr			Y	Cb	Cr
0	872160	29.95	39.42	40.35	50	73488	28.69	37.30	37.93
1	246544	29.80	35.46	36.56	51	105760	29.06	34.78	35.67
2	100304	28.25	36.10	36.85	52	133488	29.34	36.28	36.93
3	98416	28.35	34.91	35.75	53	121296	28.87	34.44	35.20
4	120800	28.03	34.85	35.54	54	109008	28.85	35.49	36.17
5	112992	27.82	34.22	34.87	55	111552	28.66	34.13	34.81
6	109968	27.81	34.20	34.79	56	110912	28.78	34.94	35.55
7	112656	27.80	33.70	34.35	57	114304	28.67	33.93	34.54
8	110128	27.76	33.79	34.39	58	108464	28.75	34.59	35.10
9	114192	27.65	33.33	33.99	59	110496	28.63	33.73	34.33
10	111856	27.48	33.37	33.90	60	109056	28.63	34.25	34.74
11	102784	27.29	33.01	33.56	61	111168	28.46	33.57	34.08
12	106112	27.46	33.10	33.64	62	105248	28.44	33.92	34.37
13	103568	27.17	32.84	33.34	63	106688	28.44	33.40	33.94
14	109888	27.21	32.81	33.34	64	109536	28.58	33.76	34.21
15	110528	27.20	32.66	33.18	65	108496	28.48	33.35	33.83
16	106816	27.31	32.69	33.17	66	110864	28.58	33.70	34.14
17	107728	27.44	32.60	33.13	67	119552	28.67	33.36	33.88
18	117328	27.66	32.72	33.19	68	111712	28.51	33.51	33.96
19	112672	27.54	32.57	33.04	69	103088	28.27	33.12	33.63
20	107952	27.54	32.58	33.09	70	109440	28.44	33.30	33.77
21	106896	27.57	32.54	33.04	71	111344	28.38	33.01	33.57
22	106672	27.68	32.60	33.10	72	874608	29.57	39.24	40.07
23	108496	27.77	32.57	33.10	73	240400	29.33	35.04	36.02
24	896688	29.83	39.49	40.37	74	99904	28.94	37.03	37.64
25	245920	29.70	35.25	36.26	75	112464	28.81	34.63	35.43
26	81568	28.46	37.10	37.76	76	115680	28.83	35.65	36.29
27	98320	28.80	34.85	35.74	77	114096	28.61	34.11	34.85
28	122192	29.08	36.24	36.93	78	110080	28.66	34.94	35.51
29	129280	29.05	34.54	35.35	79	112192	28.48	33.82	34.49
30	122752	28.82	35.55	36.20	80	110416	28.55	34.43	34.97
31	103568	28.27	34.11	34.81	81	111744	28.39	33.61	34.20
32	100704	28.26	34.84	35.46	82	110512	28.40	34.03	34.53
33	105312	28.13	33.78	34.47	83	112176	28.21	33.35	33.94
34	107872	28.24	34.41	35.03	84	105824	28.03	33.59	34.11
35	109488	28.22	33.63	34.33	85	108368	28.04	33.12	33.63
36	110176	28.30	34.11	34.77	86	111664	28.12	33.44	33.90
37	111344	28.16	33.46	34.10	87	107744	28.08	33.01	33.56
38	110704	28.23	33.83	34.44	88	107536	28.16	33.30	33.74
39	112560	28.14	33.30	33.91	89	110176	28.13	32.93	33.46
40	109776	28.16	33.60	34.18	90	111936	28.11	33.12	33.61
41	110208	28.13	33.18	33.84	91	111952	28.02	32.77	33.33
42	110352	28.16	33.43	33.99	92	112256	28.05	32.94	33.38
43	111760	28.03	33.04	33.61	93	111232	27.95	32.70	33.16
44	110320	28.07	33.27	33.79	94	109632	28.04	32.80	33.27
45	110176	27.98	32.92	33.51	95	108784	27.97	32.61	33.06
46	110192	28.03	33.13	33.66	96	873376	29.50	39.04	39.84
47	108112	27.97	32.88	33.41	97	240336	29.39	34.95	35.82
48	888096	29.70	39.40	40.25	98	88896	28.77	36.93	37.49
49	248400	29.54	35.17	36.16	99	107328	28.88	34.53	35.31

Field	Bits	SNR (dB)			Field	Bits	SNR (dB)		
		Y	Cb	Cr			Y	Cb	Cr
100	126768	29.05	35.71	36.24	150	107040	27.92	33.72	34.21
101	112736	28.60	34.13	34.85	151	105104	27.65	33.10	33.50
102	107472	28.79	35.01	35.56	152	104288	27.44	33.05	33.44
103	108944	28.36	33.76	34.41	153	108320	27.53	32.78	33.13
104	111088	28.56	34.43	34.99	154	104448	27.70	32.79	33.18
105	114656	28.35	33.56	34.14	155	106544	27.91	32.67	33.06
106	111792	28.35	33.99	34.46	156	104944	28.07	32.78	33.15
107	112992	28.16	33.30	33.82	157	115984	28.36	32.80	33.25
108	110240	28.22	33.60	34.04	158	110272	28.23	32.80	33.31
109	111616	28.08	33.10	33.53	159	108240	28.19	32.78	33.17
110	110512	28.10	33.30	33.75	160	107664	28.29	32.84	33.18
111	109968	27.96	32.93	33.36	161	106240	28.44	32.82	33.24
112	110368	28.03	33.06	33.53	162	117984	28.62	32.91	33.37
113	110672	27.85	32.75	33.18	163	108608	28.55	32.82	33.25
114	106608	27.76	32.78	33.16	164	106720	28.69	32.91	33.28
115	110544	27.72	32.57	32.94	165	113424	28.62	32.79	33.21
116	109760	27.72	32.54	32.97	166	108448	28.58	32.80	33.22
117	105328	27.69	32.44	32.83	167	107856	28.60	32.71	33.19
118	109872	27.86	32.48	32.89	168	898624	29.52	39.10	39.86
119	109968	27.86	32.43	32.79	169	231664	29.28	34.92	35.82
120	882320	29.53	39.14	39.89	170	93120	28.76	36.48	37.08
121	239152	29.29	34.86	35.73	171	110512	28.85	34.34	35.09
122	87936	28.50	35.61	37.07	172	114864	29.17	35.52	36.13
123	115760	28.83	34.47	35.12	173	124464	29.02	34.02	34.70
124	128640	28.87	35.39	35.91	174	111760	28.95	34.74	35.24
125	117558	28.73	33.99	34.63	175	114688	28.79	33.67	34.24
126	105184	28.46	34.46	34.95	176	111184	28.77	34.23	34.71
127	112400	28.52	33.69	34.27	177	103504	28.55	33.38	33.89
128	113664	28.36	33.87	34.42	178	107248	28.72	33.85	34.27
129	102448	28.02	33.28	33.82	179	112992	28.56	33.23	33.69
130	99728	27.90	33.37	33.87	180	109360	28.68	33.55	33.99
131	102864	27.87	33.03	33.50	181	111456	28.54	33.06	33.51
132	109264	27.95	33.11	33.59	182	111376	28.57	33.28	33.71
133	112992	27.87	32.84	33.25	183	115008	28.46	32.87	33.33
134	109072	27.81	32.84	33.26	184	110560	28.40	33.04	33.50
135	113792	27.80	32.69	33.08	185	111936	28.24	32.73	33.17
136	112016	27.73	32.69	33.11	186	99296	28.13	32.81	33.22
137	110896	27.70	32.52	32.98	187	108336	28.24	32.67	33.07
138	115264	27.81	32.56	32.99	188	109744	28.30	32.80	33.17
139	111088	27.80	32.37	32.80	189	109472	28.35	32.64	33.04
140	110832	27.80	32.42	32.82	190	115328	28.49	32.79	33.19
141	111568	27.76	32.31	32.71	191	113152	28.45	32.65	33.04
142	109888	27.81	32.33	32.74	192	870768	29.25	38.84	39.56
143	111312	27.71	32.23	32.59	193	240160	29.19	34.84	35.57
144	877856	29.35	38.97	39.72	194	90960	29.20	36.43	36.99
145	235792	29.21	34.87	35.75	195	116992	29.58	34.62	35.26
146	95760	28.35	36.14	36.64	196	117760	29.71	35.44	36.01
147	110572	28.52	34.24	34.92	197	111312	29.67	34.31	34.92
148	128032	28.42	34.68	35.21	198	118064	29.84	34.89	35.44
149	121424	28.28	33.70	34.29	199	115360	29.69	34.05	34.63



Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
200	109408	29.66	34.41	34.91	250	110160	29.69	34.80	35.38
201	104192	29.48	33.75	34.25	251	110512	29.65	33.96	34.65
202	109536	29.58	34.01	34.54	252	112848	29.64	34.63	35.19
203	113376	29.47	33.53	34.05	253	112272	29.61	33.88	34.57
204	107424	29.56	33.73	34.26	254	103296	29.80	34.53	35.14
205	109792	29.51	33.46	33.96	255	108336	30.04	34.03	34.75
206	108640	29.65	33.63	34.16	256	105824	30.37	34.75	35.42
207	112480	29.63	33.45	33.94	257	115248	30.74	34.45	35.21
208	111728	29.63	33.47	33.94	258	115152	31.08	35.10	35.82
209	111296	29.47	33.27	33.78	259	109280	31.14	34.74	35.49
210	114016	29.46	33.35	33.79	260	108336	31.17	35.17	35.85
211	101776	29.17	33.03	33.44	261	113248	30.97	34.66	35.42
212	111392	29.26	33.16	33.61	262	107168	30.52	34.82	35.44
213	113888	29.07	32.99	33.45	263	110896	30.42	34.41	35.13
214	109936	29.08	33.05	33.45	264	874864	30.33	39.06	39.89
215	107856	29.03	32.65	33.37	265	225728	30.34	34.94	35.87
216	880144	29.39	38.86	39.58	266	119216	30.53	37.19	37.90
217	231440	29.31	34.88	35.66	267	115648	30.31	34.73	35.67
218	104848	29.30	36.26	36.71	268	108480	30.43	36.30	37.02
219	114912	29.24	34.27	34.83	269	114736	30.26	34.53	35.37
220	124064	29.24	35.24	35.72	270	107168	30.36	35.59	36.29
221	115648	28.80	33.84	34.33	271	111616	30.15	34.32	35.16
222	103200	29.12	34.53	35.03	272	110480	30.14	35.06	35.75
223	102048	28.98	33.58	34.06	273	105120	29.86	34.09	34.84
224	111536	29.05	34.11	34.48	274	106784	29.92	34.70	35.33
225	112912	28.89	33.31	33.76	275	114240	29.93	34.04	34.74
226	100640	28.83	33.73	34.10	276	109792	29.92	34.47	35.10
227	108080	28.82	33.16	33.65	277	108096	29.87	33.98	34.63
228	109952	28.90	33.50	33.91	278	105472	30.03	34.44	35.04
229	111312	28.76	33.02	33.52	279	99200	30.04	34.06	34.69
230	111568	28.78	33.35	33.76	280	115200	30.47	34.76	35.36
231	110736	28.62	32.93	33.42	281	119120	30.56	34.48	35.16
232	109136	28.63	33.19	33.59	282	120096	30.64	34.91	35.57
233	111920	28.57	32.88	33.35	283	119168	30.06	34.31	34.96
234	110384	28.57	33.03	33.51	284	108256	29.67	34.45	34.96
235	112400	28.53	32.79	33.25	285	102752	29.42	33.97	34.57
236	108960	28.55	32.92	33.36	286	104608	29.21	34.03	34.51
237	108368	28.55	32.76	33.21	287	100352	29.00	33.62	34.13
238	108384	28.52	32.81	33.33	288	884848	29.55	38.83	39.60
239	110400	28.53	32.75	33.24	289	247904	29.60	34.63	35.50
240	885392	29.81	39.01	39.81	290	84464	28.96	36.68	37.44
241	224880	29.67	34.78	35.65	291	108096	29.31	34.31	35.11
242	101248	29.35	36.91	37.50	292	122768	29.42	35.69	36.34
243	120800	29.44	34.51	35.23	293	113056	29.20	34.03	34.68
244	114448	29.40	35.86	35.41	294	112016	29.17	34.93	35.53
245	112304	29.27	34.16	34.87	295	121600	29.11	33.76	34.40
246	108512	29.47	35.39	35.92	296	111760	28.96	34.37	34.87
247	109840	29.45	34.01	34.71	297	106336	28.70	33.40	33.93
248	108992	29.51	35.00	35.59	298	99888	28.73	33.96	34.28
249	117712	29.57	33.97	34.70	299	105920	28.80	33.28	33.78

Sequence : table tennis  
Bit rate : 4Mbps

Institute : NHK  
Date : / /91

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
0	427056	26.24	40.89	42.73	50	44816	26.01	39.51	41.25
1	141440	25.09	38.45	40.01	51	50800	26.40	39.18	40.72
2	25792	25.57	40.18	41.57	52	51088	26.57	39.21	40.58
3	36304	24.91	38.28	39.71	53	45632	27.09	39.16	40.43
4	49152	25.98	40.04	41.22	54	47440	27.10	39.18	40.28
5	71120	25.82	38.46	39.69	55	44096	27.41	39.02	40.08
6	67312	26.52	40.07	41.16	56	44288	27.57	39.12	39.87
7	81328	25.83	38.47	39.64	57	45248	27.45	38.83	39.60
8	57600	25.47	39.56	40.68	58	43552	27.74	38.87	39.62
9	49936	25.00	38.43	39.46	59	44048	27.56	38.69	39.39
10	40544	24.65	39.00	40.07	60	42848	27.89	38.80	39.40
11	34656	24.40	38.39	39.11	61	45136	28.18	38.69	39.45
12	28416	24.28	38.78	39.48	62	45984	28.35	38.75	39.35
13	31616	24.31	38.21	38.71	63	46000	28.97	38.77	39.45
14	35168	24.25	38.60	39.06	64	45792	28.77	38.77	39.24
15	41984	24.31	38.24	38.56	65	43440	29.16	38.75	39.25
16	50576	24.21	38.40	38.89	66	45040	29.29	38.80	39.15
17	49856	24.36	38.44	38.77	67	43568	29.66	38.80	39.11
18	52784	24.23	38.13	38.64	68	48736	29.70	38.55	38.60
19	48816	24.24	38.39	38.60	69	44416	29.90	38.60	38.70
20	47808	23.97	37.97	38.52	70	43056	30.27	38.60	38.64
21	39296	24.02	38.24	38.63	71	44848	30.52	38.59	38.77
22	39264	23.89	37.79	38.66	72	450016	34.25	44.76	46.61
23	46480	24.03	38.11	38.62	73	75232	33.26	42.67	44.50
24	462128	26.70	41.28	43.21	74	69152	33.20	42.44	43.86
25	143520	25.13	38.44	40.12	75	90592	33.60	41.98	43.36
26	34288	25.02	40.45	41.50	76	69472	33.20	41.61	42.78
27	40352	24.34	38.38	39.73	77	58960	33.18	41.40	42.50
28	37056	25.12	40.20	41.12	78	53696	32.78	41.10	42.00
29	48928	24.28	38.45	39.59	79	45824	32.45	40.66	41.52
30	46432	24.66	39.71	40.57	80	42416	32.47	40.53	41.21
31	53712	24.23	38.46	39.29	81	39184	32.44	40.35	40.81
32	36432	24.56	39.58	40.19	82	39616	32.25	40.03	40.28
33	46272	24.38	38.35	39.05	83	39632	32.21	39.84	39.90
34	46960	25.03	39.75	40.02	84	39536	32.27	39.58	39.62
35	63792	24.34	38.18	38.84	85	40736	32.35	39.35	39.31
36	43600	24.95	39.60	39.64	86	42288	32.43	39.21	39.17
37	46624	24.45	38.09	38.58	87	43680	32.66	39.07	39.09
38	42528	24.94	39.49	39.38	88	46512	32.59	38.97	38.82
39	43680	24.59	38.01	38.39	89	45072	32.72	38.84	38.72
40	41712	25.10	39.22	39.06	90	44288	32.71	38.80	38.70
41	46944	24.58	37.94	38.17	91	45184	32.86	38.72	38.69
42	43184	24.61	38.92	38.75	92	47520	33.00	38.73	38.69
43	43216	24.07	37.76	37.92	93	46288	32.90	38.67	38.72
44	41808	24.13	38.39	38.33	94	46512	32.89	38.68	38.57
45	45856	23.96	37.81	37.75	95	45664	32.96	38.64	38.51
46	51264	24.06	37.93	37.99	96	461632	36.68	45.53	47.25
47	47296	24.20	37.77	37.76	97	97296	36.10	43.05	44.16
48	449584	27.68	41.40	43.34	98	51008	34.85	42.05	42.24
49	112944	26.72	39.45	41.31	99	57664	34.77	41.48	41.67

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
100	63232	34.59	41.02	41.16	150	22000	29.77	40.65	38.60
101	59200	34.53	40.64	40.73	151	21840	30.13	39.44	37.76
102	53360	34.14	40.23	40.10	152	22672	29.74	40.40	38.41
103	51408	33.94	39.75	39.61	153	24448	30.33	39.30	38.00
104	47024	33.63	39.42	39.15	154	27104	30.10	40.19	39.14
105	43616	33.12	38.93	38.51	155	38432	31.28	39.38	39.28
106	42480	32.99	38.73	38.14	156	97232	31.98	40.85	41.33
107	42192	32.81	38.31	37.85	157	99184	32.34	40.15	40.63
108	41584	32.58	38.07	37.50	158	83936	32.49	41.08	41.78
109	39504	32.52	37.83	37.45	159	66528	32.50	40.31	40.83
110	40800	32.46	37.76	37.28	160	52416	32.48	41.01	41.70
111	39616	32.29	37.55	37.14	161	46672	32.43	40.24	40.71
112	40208	32.44	37.64	37.09	162	43696	32.45	40.87	41.60
113	40576	32.38	37.39	37.00	163	47168	32.46	40.21	40.69
114	39856	32.41	37.37	37.08	164	55072	32.57	40.87	41.65
115	41520	32.30	37.33	37.06	165	46480	32.50	40.18	40.63
116	41584	32.27	37.33	37.03	166	37888	32.43	40.79	41.37
117	43696	32.41	37.37	37.16	167	42384	32.45	40.17	40.61
118	45424	32.49	37.35	37.17	168	459376	31.12	42.10	42.81
119	46416	32.71	37.45	37.42	169	135392	31.80	40.11	40.60
120	503360	36.69	45.11	46.53	170	58352	32.02	41.48	42.04
121	103968	36.21	42.70	44.00	171	40208	31.80	40.04	40.42
122	36736	34.27	41.31	42.15	172	38304	31.96	41.26	41.72
123	41008	33.99	40.72	41.24	173	45296	31.93	40.05	40.42
124	45264	33.93	40.34	40.80	174	42048	32.05	41.16	41.68
125	46448	33.88	40.04	40.47	175	45920	32.07	40.08	40.44
126	50784	33.76	39.84	40.19	176	41920	32.12	41.16	41.67
127	50672	33.79	39.73	39.92	177	46112	32.13	40.13	40.50
128	53472	33.71	39.63	39.87	178	42480	32.20	41.07	41.60
129	51024	33.59	39.37	39.52	179	43712	32.17	40.16	40.51
130	48224	33.36	39.13	39.24	180	43440	32.28	41.07	41.63
131	45824	33.08	38.71	38.86	181	44704	32.25	40.15	40.59
132	42608	33.03	38.66	38.72	182	42672	32.34	41.04	41.63
133	42176	32.76	38.31	38.37	183	56880	32.43	40.24	40.73
134	194352	27.09	37.18	36.81	184	53120	32.47	41.04	41.67
135	46320	27.24	36.77	36.17	185	45712	32.41	40.22	40.69
136	30512	27.27	37.23	36.43	186	44272	32.43	41.00	41.60
137	28048	27.19	36.81	35.66	187	45760	32.46	40.20	40.68
138	28176	27.21	37.20	35.87	188	43984	32.46	40.93	41.60
139	27808	27.12	36.65	35.30	189	46304	32.50	40.21	40.76
140	27712	27.13	37.06	35.47	190	43760	32.49	40.83	41.58
141	27344	27.05	36.63	34.98	191	45264	32.53	40.22	40.73
142	27040	27.02	36.88	35.19	192	455184	30.99	41.95	42.69
143	26944	26.98	36.53	34.89	193	138608	31.77	40.08	40.64
144	453040	31.45	42.44	43.30	194	274992	26.55	37.41	37.23
145	149840	31.89	40.26	40.90	195	51152	26.09	36.65	36.65
146	20752	30.43	41.29	40.32	196	26288	26.47	37.25	36.84
147	22128	30.75	39.83	38.19	197	24832	25.80	36.62	36.23
148	22288	29.97	40.79	38.26	198	24208	26.03	37.11	36.28
149	22512	30.29	39.61	37.78	199	24144	25.38	36.56	35.66

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
200	24096	25.40	37.12	35.79	250	41936	28.25	39.44	39.10
201	23872	24.86	36.55	35.33	251	35440	28.14	38.29	37.97
202	23296	24.92	37.15	35.49	252	25392	28.46	38.99	38.53
203	23424	24.61	36.57	35.15	253	27984	28.67	38.00	37.69
204	23392	24.90	37.07	35.34	254	42336	28.47	38.65	38.27
205	22880	24.61	36.59	35.00	255	43360	28.40	37.84	37.61
206	22416	24.90	37.05	35.02	256	49072	28.65	38.39	38.11
207	22368	24.61	36.58	34.79	257	51984	28.71	37.76	37.58
208	22480	24.84	37.07	35.04	258	47472	28.89	38.26	38.03
209	22576	24.60	36.51	34.73	259	45744	28.91	37.71	37.50
210	23296	24.80	37.01	35.05	260	47120	28.99	38.12	38.03
211	22800	24.56	36.51	34.78	261	44352	28.91	37.68	37.50
212	23104	24.74	36.98	34.93	262	41760	29.01	38.04	37.95
213	23328	24.58	36.49	34.97	263	41984	29.06	37.72	37.52
214	25072	24.88	36.99	35.33	264	488608	30.62	42.19	43.18
215	30224	25.08	36.50	35.18	265	106336	30.41	39.48	40.03
216	673472	30.63	42.61	43.64	266	23840	30.20	41.50	41.95
217	127520	30.20	39.72	40.31	267	32176	30.32	39.47	39.65
218	18016	29.55	41.68	42.24	268	51520	30.61	41.03	41.36
219	18496	29.45	39.53	39.76	269	69824	30.43	39.29	39.38
220	18752	29.12	41.39	41.53	270	57792	30.24	40.32	40.65
221	19104	29.07	39.44	39.48	271	58736	30.10	39.06	39.16
222	20336	28.60	41.15	41.12	272	50880	29.74	39.67	39.98
223	23600	28.71	39.35	39.22	273	51920	29.70	38.67	38.82
224	40752	29.24	41.18	40.96	274	45896	29.70	39.03	39.40
225	67008	30.07	39.38	39.45	275	34224	29.53	38.29	38.53
226	93856	30.81	41.19	41.46	276	35496	29.55	38.59	39.01
227	88000	30.79	39.65	40.04	277	35712	29.48	38.06	38.30
228	59328	30.98	41.11	41.54	278	36880	29.68	38.34	38.73
229	55504	30.83	39.75	40.10	279	41328	29.60	38.01	38.16
230	52496	30.97	41.02	41.43	280	45760	29.48	38.11	38.47
231	49392	30.78	39.73	40.06	281	51248	29.41	37.93	38.04
232	46848	30.88	40.91	41.33	282	51008	29.15	37.94	38.30
233	42272	30.61	39.63	39.92	283	48224	28.92	37.72	37.80
234	41568	30.77	40.78	41.21	284	49072	28.70	37.68	37.97
235	47632	30.59	39.55	39.89	285	50192	28.63	37.61	37.59
236	47072	30.67	40.56	41.01	286	47008	28.44	37.55	37.73
237	48288	30.46	39.41	39.74	287	41280	28.35	37.39	37.44
238	41824	30.35	40.33	40.72	288	468768	30.19	41.70	42.82
239	42160	30.13	39.28	39.54	289	114528	30.17	39.29	39.84
240	486736	29.96	41.98	42.90	290	33376	28.97	40.83	41.45
241	110336	29.80	39.50	40.00	291	39120	29.07	39.05	39.35
242	41504	30.00	41.26	41.84	292	46208	29.00	40.21	40.63
243	46816	29.92	39.43	39.69	293	48208	29.12	38.82	38.95
244	50944	30.00	41.00	41.26	294	54752	29.34	39.72	40.09
245	55696	29.75	39.25	39.32	295	53312	29.08	38.57	38.63
246	60064	29.57	40.58	40.52	296	48720	28.90	39.20	39.59
247	47664	28.75	39.03	38.87	297	48064	28.74	38.30	38.41
248	44896	28.69	40.07	39.78	298	52576	28.70	38.76	39.02
249	46272	28.23	38.68	38.37	299	47664	28.38	38.03	37.86

Sequence : table tennis  
Bit rate : 9Mbps

Institute : NHK  
Date : / /91

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
0	856528	29.20	44.31	46.16	50	116880	28.28	40.10	42.11
1	285552	27.43	38.83	40.46	51	116016	28.55	39.41	41.28
2	41152	27.92	42.36	43.83	52	117648	28.78	39.51	41.16
3	113328	27.93	38.74	40.29	53	101248	29.27	39.29	40.86
4	114992	28.84	42.24	43.67	54	112064	29.44	39.41	40.89
5	142368	29.03	39.03	40.49	55	114864	30.00	39.32	40.72
6	128144	29.04	42.04	43.32	56	107248	30.08	39.47	40.61
7	136896	28.17	38.95	40.25	57	111200	30.00	39.24	40.41
8	105952	27.30	40.71	42.24	58	103440	30.27	39.28	40.33
9	96640	26.94	38.68	39.95	59	112000	30.21	39.12	40.18
10	92768	26.54	39.54	41.35	60	106368	30.53	39.26	40.28
11	92400	26.61	38.46	39.61	61	118464	31.00	39.27	40.32
12	89120	26.86	39.41	40.88	62	108784	31.01	39.31	40.21
13	103440	27.30	38.42	39.48	63	104176	31.60	39.43	40.33
14	121504	27.57	39.33	40.74	64	118992	31.63	39.46	40.22
15	137552	27.77	38.42	39.46	65	109360	32.02	39.51	40.34
16	131584	27.41	39.02	40.45	66	109392	32.05	39.58	40.23
17	111136	27.02	38.34	39.31	67	104784	32.41	39.74	40.37
18	109808	26.58	38.36	39.92	68	111552	32.37	39.54	40.12
19	109600	26.22	38.31	39.25	69	105840	32.68	39.71	40.22
20	94352	25.99	38.09	39.62	70	108720	33.09	39.81	40.28
21	82560	26.26	38.23	39.28	71	117888	33.56	39.95	40.56
22	108976	26.74	38.11	39.86	72	880384	37.00	47.46	49.57
23	124096	26.84	38.22	39.43	73	184288	35.82	43.61	45.68
24	888368	29.29	44.41	46.40	74	147568	35.26	43.27	44.95
25	253488	26.91	38.70	40.41	75	122144	34.92	42.64	44.13
26	85424	27.17	42.11	43.42	76	122288	34.78	42.29	43.71
27	112016	26.75	38.68	40.25	77	108512	34.84	42.12	43.34
28	107056	27.62	41.72	42.85	78	113456	34.75	41.90	43.01
29	126928	26.87	38.62	39.98	79	107552	34.62	41.63	42.67
30	105408	26.82	40.71	41.81	80	110656	34.96	41.72	42.57
31	107120	26.59	38.50	39.69	81	104880	35.05	41.54	42.44
32	88448	27.12	40.60	41.60	82	100576	34.89	41.41	42.09
33	109248	27.36	38.57	39.68	83	109888	35.08	41.32	42.08
34	127008	27.70	40.89	41.62	84	118896	35.40	41.35	42.15
35	131488	27.03	38.47	39.43	85	110720	35.42	41.26	42.03
36	104064	27.40	40.70	41.22	86	109760	35.47	41.25	41.91
37	100736	27.17	38.40	39.31	87	110416	35.66	41.23	42.02
38	100384	27.48	40.51	40.90	88	108928	35.48	41.14	41.71
39	104928	27.46	38.39	39.24	89	110288	35.68	41.13	41.85
40	113504	27.99	40.18	40.88	90	109232	35.72	41.20	41.75
41	126112	27.73	38.32	39.19	91	109488	35.81	41.21	41.81
42	116176	27.64	39.84	40.50	92	109712	35.88	41.28	41.77
43	111472	27.18	38.10	38.98	93	110368	35.85	41.25	41.81
44	111360	27.03	39.07	39.86	94	109328	35.86	41.23	41.78
45	109024	26.56	38.00	38.72	95	110384	36.00	41.30	41.82
46	110128	26.30	38.28	39.01	96	874480	39.34	48.31	50.37
47	109408	26.26	37.95	38.58	97	236528	38.19	44.39	46.12
48	869040	30.34	44.45	46.50	98	111504	36.83	43.41	44.50
49	207696	28.67	39.95	42.01	99	121872	36.75	42.90	44.09

Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
100	109840	36.34	42.31	43.15	150	109552	33.65	42.98	44.08
101	105408	36.22	42.06	42.84	151	111008	33.56	41.63	42.43
102	108368	36.09	41.78	42.39	152	107792	33.67	42.80	43.81
103	111440	36.20	41.66	42.38	153	110320	33.62	41.63	42.42
104	109440	36.10	41.50	42.11	154	110640	33.72	42.70	43.76
105	109808	35.88	41.19	41.90	155	110240	33.74	41.68	42.55
106	109536	36.03	41.17	41.79	156	108720	33.79	42.73	43.88
107	111456	36.10	41.08	41.71	157	110688	33.83	41.76	42.61
108	108848	35.92	40.88	41.47	158	120192	33.91	42.73	43.91
109	111392	36.09	40.96	41.61	159	119744	33.92	41.81	42.72
110	108320	36.05	40.92	41.45	160	110928	33.91	42.70	43.85
111	111568	36.03	40.83	41.45	161	109056	33.91	41.84	42.74
112	109136	36.08	40.94	41.42	162	109984	33.94	42.67	43.85
113	111248	36.11	40.86	41.38	163	109232	33.96	41.83	42.75
114	109088	36.06	40.83	41.23	164	113152	33.97	42.66	43.84
115	111600	36.01	40.76	41.26	165	110368	34.01	41.88	42.79
116	108192	35.95	40.71	41.18	166	108912	33.96	42.64	43.77
117	111136	35.99	40.76	41.22	167	107760	33.99	41.88	42.78
118	109744	35.88	40.67	41.05	168	878672	33.52	45.18	46.09
119	109472	35.94	40.67	41.16	169	228256	33.13	41.58	42.44
120	915200	39.14	47.72	49.38	170	124032	33.67	43.42	44.58
121	217792	38.14	43.93	45.56	171	100336	33.37	41.59	42.36
122	90128	35.34	42.77	43.94	172	108960	33.75	43.18	44.34
123	111744	35.42	42.43	43.38	173	110192	33.60	41.71	42.55
124	117984	35.42	42.31	43.17	174	110496	33.83	43.09	44.25
125	112400	35.27	41.94	42.80	175	120208	33.80	41.79	42.72
126	111920	36.11	41.65	42.45	176	99616	33.81	43.01	44.11
127	112432	36.12	41.49	42.27	177	108720	33.83	41.85	42.85
128	109360	35.93	41.30	41.99	178	110096	33.94	42.95	44.14
129	111920	35.94	41.17	41.90	179	120256	33.99	41.93	42.95
130	110112	35.80	41.06	41.63	180	110160	34.01	42.98	44.18
131	109696	35.65	40.77	41.35	181	109344	34.01	41.97	42.99
132	108784	35.75	40.89	41.42	182	109984	34.04	42.94	44.14
133	111056	35.63	40.69	41.16	183	109760	34.03	41.99	43.00
134	263904	28.75	38.49	38.53	184	112160	34.05	42.92	44.12
135	52896	28.63	37.66	37.45	185	109680	34.04	41.96	42.95
136	30512	29.02	38.49	38.17	186	109488	34.05	42.91	44.07
137	36896	29.03	37.85	37.36	187	109184	34.08	41.93	42.98
138	53728	30.14	38.79	38.54	188	109984	34.06	42.83	44.03
139	114000	31.51	39.19	39.20	189	111408	34.11	41.97	43.02
140	136624	32.18	39.73	40.04	190	108368	34.06	42.76	44.03
141	140016	32.63	40.05	40.47	191	111584	34.13	41.93	42.97
142	127952	32.83	40.23	40.81	192	882832	33.52	45.12	46.15
143	113408	33.02	40.38	40.93	193	234592	33.15	41.77	42.60
144	897008	33.65	45.35	46.38	194	309872	27.06	37.87	37.88
145	247296	32.94	41.54	42.34	195	63104	27.17	37.24	37.18
146	73840	33.08	43.22	44.24	196	32688	27.50	37.84	37.52
147	114448	33.27	41.65	42.46	197	31200	27.19	37.24	36.97
148	115136	33.51	43.02	44.11	198	42096	27.95	37.89	37.60
149	110384	33.45	41.65	42.42	199	80080	28.93	37.84	37.69



Field	Bits	SNR(dB)			Field	Bits	SNR(dB)		
		Y	Cb	Cr			Y	Cb	Cr
200	121248	30.21	38.52	38.82	250	109616	31.32	40.80	41.13
201	149664	30.65	38.82	39.38	251	107520	31.57	39.77	40.38
202	140224	31.00	39.25	39.78	252	109776	32.17	41.01	41.60
203	124832	31.18	39.21	39.88	253	122880	32.24	39.81	40.73
204	117360	31.30	39.48	40.06	254	116480	31.80	40.39	40.82
205	107392	31.34	39.43	40.03	255	106752	31.57	39.56	40.33
206	107008	31.42	39.56	40.16	256	104688	31.59	40.16	40.47
207	117712	31.55	39.50	40.17	257	102448	31.42	39.34	39.91
208	110576	31.51	39.67	40.22	258	110064	31.81	39.88	40.21
209	107712	31.61	39.55	40.30	259	107760	31.82	39.43	40.08
210	109776	31.64	39.69	40.32	260	116928	32.12	39.97	40.48
211	109312	31.72	39.70	40.41	261	109248	31.97	39.46	40.09
212	111088	31.69	39.72	40.39	262	108112	32.14	39.96	40.46
213	108976	31.78	39.76	40.49	263	110112	32.17	39.53	40.35
214	109952	31.74	39.85	40.48	264	922176	32.63	44.97	46.20
215	109952	31.81	39.81	40.57	265	191568	31.97	40.85	41.67
216	914608	31.91	44.75	45.80	266	100064	32.75	43.26	44.49
217	213680	31.40	40.82	41.73	267	122416	32.65	41.08	42.07
218	92768	31.94	43.14	44.26	268	122720	32.92	42.61	43.74
219	120224	31.89	41.00	42.08	269	110864	32.20	40.59	41.43
220	109616	32.25	42.94	44.09	270	98576	32.07	41.68	42.48
221	111024	32.07	40.99	42.16	271	109520	32.11	40.31	41.18
222	108688	32.22	42.76	43.86	272	111344	32.21	41.10	41.81
223	111520	32.13	41.02	42.14	273	111680	32.16	40.06	40.87
224	108944	32.25	42.59	43.51	274	111072	32.39	40.60	41.29
225	110544	32.19	40.98	42.11	275	103856	32.55	39.92	40.78
226	108640	32.28	42.61	43.60	276	107008	32.74	40.58	41.23
227	111392	32.19	40.93	42.08	277	118112	32.95	40.07	40.95
228	107360	32.28	42.42	43.38	278	110624	33.00	40.44	41.20
229	111664	32.26	41.00	42.12	279	108768	32.91	39.97	40.87
230	109344	32.32	42.31	43.31	280	114080	32.70	40.06	40.84
231	111264	32.28	41.05	42.18	281	114000	32.29	39.58	40.39
232	108976	32.36	42.37	43.32	282	103408	31.80	39.57	40.33
233	110944	32.32	41.05	42.22	283	101136	31.64	39.30	40.05
234	109216	32.41	42.29	43.31	284	111712	31.58	39.25	40.02
235	110144	32.37	41.03	42.17	285	110352	31.50	39.11	39.81
236	109440	32.40	42.16	43.09	286	114256	31.54	39.16	39.80
237	111088	32.34	40.96	42.10	287	108208	31.59	38.96	39.72
238	110800	32.34	42.03	42.89	288	918704	32.44	44.59	46.00
239	110128	32.26	40.93	42.04	289	206880	31.87	40.60	41.55
240	920784	31.96	44.80	45.92	290	96800	32.00	42.44	43.59
241	198016	31.28	40.72	41.58	291	102800	31.82	40.33	41.04
242	109696	32.11	43.09	44.29	292	112144	31.89	41.44	42.47
243	116368	31.75	40.80	41.72	293	109808	31.70	40.01	40.80
244	109664	32.04	42.74	43.68	294	110464	31.87	40.95	41.98
245	114464	31.72	40.62	41.41	295	111056	31.62	39.87	40.51
246	105968	31.63	42.11	42.60	296	110192	31.65	40.50	41.36
247	103696	31.21	40.21	40.82	297	111584	31.54	39.67	40.37
248	99728	31.14	41.40	41.74	298	113008	31.53	40.22	40.84
249	109312	31.06	39.96	40.57	299	110144	31.43	39.45	40.08